

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
Chordata (Phylum)	Vertebrates			
Aves (Class)	Birds			
1.	Alder flycatcher F	<i>Empidonax alnorum</i>	G5	S2N
2.	American avocet *	<i>Recurvirostra americana</i>	G5	S2B
3.	American bittern	<i>Botaurus lentiginosus</i>	G4	S1S3
4.	American coot	<i>Fulica americana</i>	G5	S3S5
5.	American crow * F	<i>Corvus brachyrhynchos</i>	G5	S5
6.	American goldfinch F	<i>Carduelis tristis</i>	G5	S5
7.	American golden plover	<i>Pluvialis dominica</i>	G5	S2N
8.	American kestrel * F	<i>Falco sparverius</i>	G5	S4S5
9.	American redstart F	<i>Setophaga ruticilla</i>	G5	S3
10.	American robin * L F	<i>Turdus migratorius</i>	G5	S5
11.	American white pelican	<i>Pelecanus erythrorhynchos</i>	G4	S3N
12.	American wigeon	<i>Mareca americana</i>	G5	S5N
13.	American woodcock F	<i>Scolopax minor</i>	G5	S3
14.	Bald eagle * IH	<i>Haliaeetus leucocephalus</i>	G5	S1S3
15.	Baltimore oriole F	<i>Icterus galbula</i>	G5	S2S4
16.	Bank swallow	<i>Riparia riparia</i>	G5	S2B
17.	Barn owl	<i>Tyto alba</i>	G5	S3
18.	Barn swallow * F	<i>Hirundo rustica</i>	G5	S2B
19.	Barred owl F	<i>Strix varia</i>	G5	S4S5
20.	Bell's vireo F	<i>Vireo bellii</i> (Reserve 3)	G5	S3B
21.	Belted kingfisher *	<i>Ceryle alcyon</i>	G5	S3S5
22.	Bewick's wren F	<i>Thryomanes bewickii</i>	G5	S4S5
23.	Black-and-white warbler F	<i>Mniotilta varia</i>	G5	S4B
24.	Black-bellied plover *	<i>Pluvialis squatarola</i>	G5	S2N
25.	Black-bellied whistling duck	<i>Dendrocygna autumnalis</i>	G5	N5
26.	Black-crowned night heron	<i>Nycticorax nycticorax</i>	G5	S3B
27.	Black-necked stilt	<i>Himantopus mexicanus</i>	G5	N5N,N5B
28.	Black tern*	<i>Chlidonias niger</i>	G4	S4?N
29.	Black-throated green warbler F	<i>Setophaga virens</i>	G5	S3N
30.	Black vulture *	<i>Coragyps atratus</i>	G5	S2B
31.	Blue grosbeak F	<i>Guiraca caerulea</i>	G5	S5B
32.	Blue-gray gnatcatcher F	<i>Poliophtila caerulea</i>	G5	S5B
33.	Blue-winged teal * *F	<i>Spatula discors</i>	G5	S4S5
34.	Blue Jay * F	<i>Cyanocitta stelleri</i>	G5	S5
35.	Bobolink F	<i>Dolichonyx oryzivorus</i>	G5	S2N
36.	Brewer's blackbird * F	<i>Euphagus cyanocephalus</i>	G5	S3S5
37.	Broad-winged hawk F	<i>Buteo platypterus</i>	G5	S4B
38.	Brown creeper	<i>Certhia americana</i>	G5	S5N
39.	Brown thrasher * *F	<i>Toxostoma rufum</i>	G5	S5
Aves (Class)	Birds			

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
40.	Brown-headed cowbird * F	<i>Molothrus ater</i>	G5	S5
41.	Bufflehead F	<i>Bucephala albeola</i>	G5	S4N
42.	Burrowing owl *	<i>Athene cunicularia</i>	G4	S2
43.	Canada goose * F	<i>Branta canadensis</i>	G5	SU
44.	Canada warbler F	<i>Cardellina canadensis</i>	G5	S1N
45.	Canvasback F	<i>Aythya valisineria</i>	G5	S4N
46.	Carolina chickadee F	<i>Parus carolinensis</i>	G5	S5
47.	Carolina wren F	<i>Thryothorus ludovicianus</i>	G5	S5
48.	Cattle egret * F	<i>Bubulcus ibis</i>	G5	SNA
49.	Cedar waxwing F	<i>Bombycilla cedrorum</i>	G5	SU
50.	Cave swallow****			
51.	Chestnut-sided warbler F	<i>Setophaga pensylvanica</i>	G5	S2N
52.	Chimney swift * F	<i>Chaetura pelagica</i>	G5	S5B
53.	Chipping sparrow F	<i>Spizella pallida</i>	G5	S4S5
54.	Chuck-will's-widow *	<i>Antrostomus carolinensis</i>	G5	S5B
55.	Clay-colored sparrow F IH	<i>Spizella pallida</i>	G5	S4N
56.	Cliff swallow * F	<i>Petrochelidon pyrrhonota</i>	G5	S5B
57.	Common goldeneye	<i>Bucephala clangula</i>	G5	N5N,N5B
58.	Common grackle * F	<i>Quiscalus quiscula</i>	G5	S5
59.	Common loon	<i>Gavia immer</i>	G5	S3N
60.	Common night hawk * F	<i>Chordeiles minor</i>	G5	S5B
61.	Common poorwill IH	<i>Phalaenoptilus nuttallii</i>	G5	S2B
62.	Common snipe	<i>Gallinago gallinago</i>	G5	S5N
63.	Common yellowthroat F	<i>Geothlypis trichas</i>	G5	S5B
64.	Cooper's hawk * F	<i>Accipiter cooperii</i>	G5	S2S3
65.	Dark-eyed junco F	<i>Junco hyemalis</i>	G5	S5N
66.	Dickcissel * F	<i>Spiza americana</i>	G5	S4B
67.	Double crested cormorant * F	<i>Nannopterum auritum</i>	G5	S3S4
68.	Dowitcher	<i>Limnodromus sp.</i>	G5	S4N
69.	Downy woodpecker F	<i>Dryobates pubescens</i>	G5	S5
70.	Dunlin *	<i>Calidris alpina</i>	G5	S2N
71.	Eared grebe	<i>Podiceps nigricollis</i>	G5	S5N
72.	Eastern bluebird F	<i>Sialia mexicana</i>	G5	S5
73.	Eastern kingbird * F	<i>Tyrannus verticalis</i>	G5	S5B
74.	Eastern meadowlark * F	<i>Sturnella neglecta</i>	G5	S5
75.	Eastern phoebe F	<i>Sayornis phoebe</i>	G5	S5
76.	Eastern towhee F	<i>Pipilo erythrophthalmus</i>	G5	S3S5
77.	Eastern wood pewee F	<i>Contopus virens</i>	G5	S5B
78.	Empidonax F	<i>Empidonax sp.</i>	G5	-
79.	Eurasian Collared-Dove	<i>Streptopelia decaocto</i>	G5	NNA
80.	European starling * F	<i>Sturnus vulgaris</i>	G5	SNA
81.	Field sparrow F	<i>Spizella pusilla</i>	G5	S5

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
<i>Aves (Class)</i>	Birds			
82.	Flycatcher	<i>Myiarchus sp.</i>	G5	-
83.	Forster's tern	<i>Sterna forsteri</i>	G5	S4N
84.	Fox sparrow F	<i>Passerella iliaca</i>	G5	S3N
85.	Franklin's gull * F	<i>Larus pipixcan</i>	G4G5	S5N
86.	Gadwall F	<i>Anas strepera</i>	G5	S5N
87.	Golden-crowned kinglet	<i>Regulus satrapa</i>	G5	S3N
88.	Grasshopper sparrow F	<i>Ammodramus savannarum</i>	G5	S4B
89.	Gray catbird F	<i>Dumetella carolinensis</i>	G5	S4B
90.	Great blue heron * F	<i>Ardea herodias</i>	G5	S5
91.	Great crested flycatcher * F	<i>Myiarchus crinitus</i>	G5	S5B
92.	Great egret * F	<i>Casmerodius albus</i>	G5	S4B
93.	Great-horned owl *	<i>Bubo virginianus</i>	G5	S5
94.	Great-tailed grackle * F	<i>Cassidix mexicanus</i>	G5	S5
95.	Greater roadrunner F	<i>Geococcyx californianus</i>	G5	S5
96.	Greater scaup	<i>Aythya marila</i>	G5	N5B,N5N
97.	Greater yellowlegs F	<i>Tringa melanoleuca</i>	G5	S5N
98.	Green heron F	<i>Butorides striatus</i>	G5	S2B
99.	Green-winged teal	<i>Anas crecca</i>	G5	S5N
100.	Hairy woodpecker	<i>Dryobates villosus</i>	G5	S5
101.	Harris sparrow F	<i>Zonotrichia querula</i>	G5	S5N
102.	Hermit thrush * F (nwm-bird strike ID- 08)	<i>Catharus guttatus</i>	G5	S3N
103.	Herring gull *	<i>Larus argentatus</i>	G5	S4N
104.	Hooded merganser F	<i>Lophodytes cucullatus</i>	G5	S3N
105.	Hooded warbler F	<i>Setophaga citrina</i>	G5	S2B
106.	Horned grebe (IH)	<i>Podiceps auritus</i>	G5	S2N
107.	Horned lark * F	<i>Eremophila alpestris</i>	G5	S5
108.	House finch F	<i>Haemorphous mexicanus</i>	G5	S4
109.	House sparrow * E F	<i>Passer domesticus</i>	G5	SNA
110.	House wren * F	<i>Troglodytes aedon</i>	G5	S4S5
111.	Indigo bunting F	<i>Passerina cyanea</i>	G5	S5B
112.	Killdeer * F	<i>Charadrius vociferus</i>	G5	S5
113.	Ladder-backed woodpecker	<i>Dryobates scalaris</i>	G5	SU
114.	Lapland longspur *	<i>Calcarius ornatus</i>	G5	S4N
115.	Lark sparrow F	<i>Chondestes grammacus</i>	G5	S3S5
116.	Least flycatcher F	<i>Empidonax minimus</i>	G5	S5N
117.	Least sandpiper *	<i>Calidris minutilla</i>	G5	S4N
118.	Le Conte's sparrow F	<i>Ammospiza leconteii</i>	G4	S4?N
119.	Lesser scaup F	<i>Aythya affinis</i>	G5	S5N
120.	Lesser snow goose	<i>Chen caerulescens</i>	G5	S5N
121.	Lincoln's sparrow **	<i>Melospiza lincolnii</i>	G5	S5N
122.	Little blue heron * F	<i>Egretta caerulea</i>	G5	S5B

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
123.	Loggerhead shrike * F	<i>Lanius ludovicianus</i>	G4	S2
Aves (Class)	Birds			
124.	Long-billed curlew *	<i>Numenius americanus</i>	G5	S2B
125.	Long-billed dowitcher	<i>Limnodromus scolopaceus</i>	G5	S4N
126.	Long-eared owl	<i>Asio otus</i>	G5	S1
127.	Louisiana waterthrush F	<i>Seiurus motacilla</i>	G5	S4B
128.	Magnolia warbler F	<i>Setophaga magnolia</i>	G5	S2N
129.	Mallard * F	<i>Anas platyrhynchos</i>	G5	SU
130.	Merlin *	<i>Falco columbarius</i>	G5	SU
131.	Mississippi kite * F	<i>Ictinia mississippiensis</i>	G5	S5B
132.	Mourning dove * F	<i>Zenaida macroura</i>	G5	S5
133.	Mourning warbler ****			
134.	Mountain bluebird	<i>Sialia currucoides</i>	G5	S2N
135.	Muscovy duck (domestic variant)	<i>Cairina moschata</i>		
136.	Nashville warbler F (ID by Smithsonian)	<i>Leiothlypis ruficapilla</i>	G5	S5N
137.	Northern bobwhite quail * F	<i>Colinus virginianus</i>	G5	S5
138.	Northern cardinal F	<i>Cardinalis cardinalis</i>	G5	S5
139.	Northern flicker * F	<i>Colaptes auratus</i>	G5	S4S5
140.	Northern harrier *	<i>Circus hudsonius</i>	G5	S3S5
141.	Northern mockingbird * F	<i>Mimus polyglottos</i>	G5	S5
142.	Northern parula F	<i>Parula americana</i>	G5	S3B
143.	Northern rough-winged swallow F	<i>Stelgidopteryx serripennis</i>	G5	S4B
144.	Northern pintail	<i>Anas acuta</i>	G5	S3S5
145.	Northern shoveler	<i>Spatula clypeata</i>	G5	S4N
146.	Orange-crowned warbler F	<i>Oreothlypis celata</i>	G5	S5N
147.	Orchard oriole F	<i>Icterus spurius</i>	G5	S4B
148.	Ovenbird F	<i>Seiurus aurocapillus</i>	G5	S2B
149.	Osprey (IH)	<i>Pandion haliaetus</i>	G5	S2N
150.	Painted bunting F	<i>Passerina ciris</i>	G5	S5B
151.	Peafowl Indian E, IH*	<i>Pavo cristatus</i>	G5	V
152.	Pied-billed grebe F	<i>Podilymbus podiceps</i>	G5	S5
153.	Pileated woodpecker F	<i>Dryocopus pileatus</i>	G5	S3
154.	Pine siskin I	<i>Spinus pinus</i>	G5	SNR
155.	Piping plover * (Threatened)	<i>Charadrius melodus</i>	G3	SU
156.	Peregrine falcon *(Bird Strike 04/22)	<i>Falco peregrinus</i>	G4	S4M
157.	Purple martin * F	<i>Progne subis</i>	G5	S5B
158.	Red-bellied woodpecker	<i>Melanerpes carolinus</i>	G5	S5
159.	Red-eyed vireo F	<i>Vireo olivaceus</i>	G5	S5B
160.	Red-breasted nuthatch	<i>Sitta canadensis</i>	G5	S2N
161.	Redhead	<i>Aythya americana</i>	G5	S5N
162.	Red-headed woodpecker F	<i>Melanerpes erythrocephalus</i> BCC	G5	S4S5
163.	Red-shouldered hawk F	<i>Buteo lineatus</i>	G5	S5

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
164.	Red-tailed hawk * F	<i>Buteo regalis</i>	G5	S5
165.	Red-winged blackbird * F	<i>Agelaius phoeniceus</i>	G5	S5
166.	Ring-necked duck F	<i>Aythya collaris</i>	G5	S4N
167.	Ring-billed gull * F	<i>Larus delawarensis</i>	G5	S5N
168.	Rock dove * F	<i>Columba livia</i>	G5	SNA
169.	Ross' goose *IH	<i>Anser rossii</i>	G4	SNR
170.	Ruby-crowned kinglet F	<i>Corthylio calendula</i>	G5	S5N
Aves (Class)	Birds			
171.	Ruddy duck	<i>Oxyura jamaicensis</i>	G5	S5
172.	Sandhill crane *	<i>Grus canadensis</i>	G5	S2N
173.	Savannah sparrow F	<i>Passerculus sandwichensis</i>	G5	S5
174.	Scissor-tailed flycatcher * F	<i>Tyrannus forficatus</i>	G5	S5B
175.	Semipalmated sandpiper *	<i>Calidris pusilla</i>	G5	S4N
176.	Sharp-shinned hawk * F	<i>Accipiter striatus</i>	G5	S4N
177.	Smith's longspur ****			
178.	Snowy egret *	<i>Egretta thula</i>	G5	S5B
179.	Snowy plover *	<i>Charadrius nivosus</i>	G4	S3B,SG
180.	Solitary sandpiper	<i>Tringa solitaria</i>	G5	S5N
181.	Song sparrow F	<i>Melospiza melodia</i>	G5	S5N
182.	Sora	<i>Porzana carolina</i>	G5	S5B
183.	Spotted towhee F	<i>Pipilo maculatus</i>	G5	N5
184.	Spotted sandpiper * F	<i>Actitis macularia</i>	G5	S1S3
185.	Swainson's hawk * F	<i>Buteo swainsoni</i>	G5	S3B
186.	Swainson's thrush * *	<i>Catharus ustulatus</i>	G5	S4N
187.	Swamp sparrow F	<i>Melospiza georgiana</i>	G5	S2N
188.	Tennessee warbler F	<i>Leiothypis peregrina</i>	G5	S4N
189.	Tree swallow F	<i>Tachycineta bicolor</i>	G5	S2N
190.	Townsend's solitaire	<i>Myadestes townsendi</i>	G5	S2N
191.	Tufted titmouse F	<i>Baeolophus bicolor</i>	G5	S5
192.	Turkey vulture F	<i>Cathartes aura</i>	G5	S5
193.	Veery F	<i>Catharus fuscescens</i>	G5	N5B
194.	Upland sandpiper F	<i>Bartramia longicauda</i>	G5	S3S4
195.	Vesper sparrow	<i>Poocetes gramineus</i>	G5	S4N
196.	Virginia rail * *	<i>Rallus limicola</i>	G5	S1B
197.	Warbling vireo F	<i>Vireo gilvus</i>	G5	S4B
198.	Western kingbird * F	<i>Tyrannus verticalis</i>	G5	S5B
199.	Western meadowlark *	<i>Sturnella neglecta</i>	G5	S5
200.	Whimbrel	<i>Numenius phaeopus</i>	G5	S1N
201.	Whip-poor-will IH	<i>Antrostomus vociferus</i>	G5	S2B
202.	White-breasted nuthatch F	<i>Sitta carolinensis</i>	G5	S5
203.	White-eyed vireo F	<i>Vireo griseus</i>	G5	S5B
204.	White-crowned sparrow F	<i>Zonotrichia leucophrys</i>	G5	S5N

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
205.	White-faced ibis	<i>Plegadis chihi</i>	G5	N4B,N4N
206.	White-throated sparrow F	<i>Zonotrichia albicollis</i>	G5	S4N
207.	White-rumped sandpiper	<i>Calidris fuscicollis</i>	G5	S3N
208.	Wild turkey	<i>Meliagris gallopavo</i>	G5	S3B
209.	White-winged dove IH	<i>Zenaida asiatica</i>	G5	V
210.	Willow flycatcher F	<i>Empidonax traillii</i>	G5	S4N
211.	Willet	<i>Catoptrophorus semipalmatus</i>	G5	S3N
212.	Wilson's phalarope	<i>Phalaropus tricolor</i>	G5	S5N
Aves (Class)	Birds			
213.	Wood duck	<i>Aix sponsa</i>	G5	S4
214.	Yellow-bellied flycatcher F	<i>Empidonax flaviventris</i>	G5	S2N
215.	Yellow-bellied sapsucker F	<i>Sphyrapicus varius</i>	G5	S3N
216.	Yellow-billed cuckoo F	<i>Coccyzus americanus</i>	G5	S5B
217.	Yellow-crowned night heron F	<i>Nycticorax violaceus</i>	G5	S4B
218.	Yellow-headed blackbird * *	<i>Xanthocephalus xanthocephalus</i>	G5	S3N
219.	Yellow-rumped warbler F	<i>Setophaga coronata</i>	G5	S5N
220.	Yellow warbler * * F	<i>Setophaga petechia</i>	G5	S3B
Mammalia (Class)	Mammals			
221.	American Beaver * =	<i>Castor canadensis</i>	G5	S4
222.	Black-tailed jackrabbit	<i>Lepus californicus</i>	G5	S5
223.	Big brown bat c	<i>Eptesicus fuscus</i>	G5	S4
224.	Bobcat =	<i>Felis rufus</i> (Schreber)	G5	S4
225.	Brazilian (Mexican) free-tailed bat *, IH, c	<i>Tadarida brasiliensis</i>	G5	S3
226.	Coyote *=	<i>Canis latrans</i> (Say)	G5	S5
227.	Cave myotis c	<i>Myotis velifer</i>	G4	S4
228.	Deer mouse =	<i>Peromyscus maniculatus</i>	G5	S5
229.	Domestic cat =	<i>Felis catus</i>	GNA	NNA
230.	Domestic dog =	<i>Canis domesticus</i>	-	-
231.	Eastern cottontail =	<i>Sylvilagus floridanus</i>	G5	S5
232.	Eastern woodrat =	<i>Neotoma floridana</i> (Ord)	G5	S5
233.	Eastern red bat = IH, c	<i>Lasiurus borealis</i>	G5	S4
234.	Evening bat c, IH	<i>Nycticeius humeralis</i>	G5	S4
235.	Fox squirrel =	<i>Sciurus niger</i>	G5	S5
236.	Fulvous harvest mouse *=	<i>Reithrodontomys fulvescens</i>	G5	S4
237.	Gray fox	<i>Urocyon cinereoargenteus</i>	G5	S4
238.	Hispid cotton rat =	<i>Sigmodon hispidus</i>	G5	S5
239.	Hoary bat c	<i>Lasiurus cinereus</i>	G5	S3
240.	House mouse =	<i>Mus musculus</i>	G5	SNA
241.	Least shrew =	<i>Cryptotis parva</i>	G5	S5
242.	Muskrat =	<i>Ondatra zibethicus</i>	G5	S4

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank [^]	State/ National Rank [^]
243.	Little brown bat IH *** (not confirmed with echolocation)	<i>Myotis lucifugus</i>	G3	S1
244.	Nine-banded armadillo =	<i>Dasypus novemcinctus</i>	G5	S4
245.	Northern long-eared bat *** (not confirmed with echolocation) Threatened	<i>Myotis septentrionalis</i>	G4	S2
246.	Plains harvest mouse =	<i>Reithrodontomys montanus</i>	G5	S5
247.	Plains pocket gopher	<i>Geomys bursarius</i>	G5	S5
248.	Prairie vole =	<i>Microtus ochrogaster</i>	G5	S5
249.	Raccoon =	<i>Procyon lotor</i>	G5	S5
250.	Red fox =	<i>Vulpes vulpes</i>	G5	S3
Mammalia (Class)	Mammals			
251.	Striped skunk =	<i>Mephitis mephitis</i> (Schreber)	G5	S5
252.	Short-tailed shrew	<i>Blarina brevicauda</i>	G5	N5
253.	Silver-haired bat c	<i>Lasionycteris noctivagans</i>	G3	S2
254.	Towsend's big-eared bat c (West or Ozark ntd)	<i>Corynorhinus townsendii</i>	G4	S3
255.	Thirteen-lined ground squirrel **	<i>Spermophilus tridecemlineatus</i> (Mitchill)	G5	S5
256.	Tricolored bat c	<i>Perimyotis subflavus</i>	G3	S4
257.	Virginia opossum =	<i>Didelphis virginiana</i>	G5	S5
258.	White-footed mouse +=	<i>Peromyscus leucopus</i>	G5	S5
259.	White-tailed deer =	<i>Odocoileus virginianus</i> (Zimmermann)	G5	S5
260.	Woodland vole =	<i>Microtus pinetorum</i>	G5	S5
Reptilia (Class)	Reptiles			
261.	Black rat snake =	<i>Pantherophis obsoleta obsoleta</i>	G5	S5
262.	Broad-banded copperhead =	<i>Agkistrodon contortrix laticinctus</i>	G5T4	N4
263.	Bullsnake =	<i>Pituophis catenifer sayi</i>	G5T5	N5
264.	Common snapping turtle =	<i>Chelydra serpentina</i>	G5T5	S5
265.	Diamondback water snake =	<i>Nerodia rhombifer rhombifer</i>	G5T5	N5
266.	Eastern river cooter =	<i>Pseudemys concinna concinna</i>	G5T5	N5
267.	Eastern yellow-bellied racer =	<i>Coluber constrictor flaviventris</i>	G5T5	N5
268.	Flat-headed snake	<i>Tantilla gracilis</i>	G5	S5
269.	Northern prairie lizard (E. fence lizard) =	<i>Sceloporus undulatus garmani</i>	G5T5	N5
270.	Five-lined skink =	<i>Eumeces fasciatus</i>	G5	S5
271.	Great plains rat snake	<i>Pantherophis emoryi</i>	G5	S5
272.	Little brown skink = IH	<i>Scincella lateralis</i>	G5	S4
273.	Mediterranean gecko E =	<i>Hemidactylus turcicus</i>	G5	SNA
274.	Midland water snake (northern)	<i>Nerodia sipedon</i>	G5	S4
275.	Orange-striped ribbonsnake =	<i>Thamnophis proximus proximus</i>	G5T5	NNR
276.	Ornate box turtle =	<i>Terrapene ornata ornata</i>	G5T5	N5
277.	Plain-bellied water snake (blotched)	<i>Nerodia erythrogaster transversa</i>	G5T5	N5
278.	Prairie kingsnake =	<i>Lampropeltis calligaster calligaster</i>	G5T5	N5
279.	Prairie racerunner =	<i>Aspidoscelis sexlineatus viridis</i>	G5T5	S5

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank [^]	State/ National Rank [^]
280.	Red-eared slider =	<i>Trachemys scripta elegans</i>	G5T5	N5
281.	Ringneck snake =	<i>Diadophis punctatus</i>	G5	S5
282.	Rough green snake =	<i>Opheodrys aestivus aestivus</i>	G5	S5
283.	Rough earth snake =	<i>Virginia striatula</i>	G5	S4
284.	Southern prairie skink *	<i>Plestiodon septebrionalis obtusirostris</i>	G5T5	N5
285.	Speckled kingsnake =	<i>Lampropeltis getula holbrooki</i>	G5T5	N5
286.	Spiny softshell =	<i>Apalone spinifera hartwegi</i>	G5T5	N5
287.	Texas brownsnake =	<i>Storeria dekayi texana</i>	G5T5	N5
288.	Texas horned lizard w=	<i>Phrynosoma cornutum</i>	G4G5	S2SG
Reptilia (Class)	Reptiles			
289.	Timber rattle snake***	<i>Crotalus horridus</i>	G4	S3
290.	Three-toed box turtle =	<i>Terrapene carolina</i>	G5T5	S5
291.	Variable ground snake	<i>Sonora semiannulata semiannulata</i>	G5	S5
292.	Western chicken turtle *** (not confirmed) (under review for listing)	<i>Deirochelys reticularia miaria</i>	G5T5	S2
293.	Western slender glass lizard =	<i>Ophisaurus attenuatus attenuatus</i>	G5T5	N5
294.	Yellow belly water snake	<i>Nerodia erythrogaster flavigaster</i>	G5T5	N5
295.	Yellow mud turtle	<i>Kinosternon flavescens</i>	G5	S5
Amphibia (Class)	Amphibians			
296.	American bullfrog =	<i>Rana catesbeiana</i>	G5	S5
297.	Blanchard's cricket frog =	<i>Acris crepitans blanchardi</i>	G5	S5
298.	Dwarf American toad =	<i>Bufo americanus charlesmithi</i>	G5T5	-
299.	Gray treefrog (complex) =	<i>Hyla versicolor / chrysoscelis</i>	G5	S4?/S4S5
300.	Great plains narrow-mouthed toad =	<i>Gastrophryne olivacea</i>	G5	S5
301.	Plains leopard frog	<i>Rana blairi</i>	G5	S5
302.	Smallmouth salamander	<i>Ambystoma texanum</i>	G5	S5
303.	Southern leopard frog =	<i>Rana sphenoccephala utricularia</i>	G5	S5
304.	Spotted chorus frog =	<i>Pseudacris clarki</i>	G5	S4
305.	Strecker's chorus frog * =	<i>Pseudacris streckeri</i>	G5	S4
306.	Western chorus frog =	<i>Pseudacris triseriata</i>	G5	N5
307.	Woodhouse's toad =	<i>Bufo woodhousei</i>	G5	S5
Osteichthyes (Class)	Bony Fish			
308.	Black bullhead	<i>Ameiurus melas</i>	G5	S5
309.	Black crappie	<i>Pomoxis nigromaculatus</i>	G5	S5
310.	Bluegill sunfish S D	<i>Lepomis macrochirus</i>	G5	S5
311.	Bluegill X Redear sunfish S	<i>Lepomis macrochirus X microlophus</i>	-	-
312.	Bluegill X Green sunfish S	<i>Lepomis macrochirus X cyanellus</i>	-	-
313.	Bluntnose minnow D	<i>Pimephales notatus</i>	G5	S3
314.	Brook trout E,S	<i>Salvelinus fontinalis</i>	G5	N5
315.	Brown trout E,S	<i>Salmo trutta</i>	G5	SNA
316.	Bullhead minnow D	<i>Pimephales vigilax</i>	G5	S5

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank [^]	State/ National Rank [^]
317.	Channel catfish S, D	<i>Ictalurus punctatus</i>	G5	S5
318.	Common carp E	<i>Cyprinus carpio</i>	G5	SNA
319.	Common carp 'Koi' E	<i>Cyprinus carpio</i>	G5	SNA
320.	Fathead minnow S, D	<i>Pimephales promelas</i>	G5	S5
321.	Fathead minnow (Rosy-red) I	<i>Pimephales promelas</i> 'Golden Strain'	G5	S5
322.	Freshwater drum	<i>Aplodinotus grunniens</i>	G5	S5
323.	Gizzard shad	<i>Dorosoma cepedianum</i>	G5	S5
324.	Goldfish E, D	<i>Carassius auratus</i>	G5	NNA
325.	Golden shiner D	<i>Notemigonus crysoleucas</i>	G5	S5
326.	Grass carp E,I,S (Triploid)	<i>Ctenopharyngodon idella</i>	G5	SNA
Osteichthyes (Class)	Bony Fish			
327.	Green sunfish D	<i>Lepomis cyanellus</i>	G5	S5
328.	Largemouth bass S D	<i>Micropterus salmoides</i>	G5	S5
329.	Longear sunfish D	<i>Lepomis megalotis</i>	G5	S5
330.	Orangespotted sunfish	<i>Lepomis humilis</i>	G5	S5
331.	Rainbow trout E,S	<i>Oncorhynchus mykiss</i>	G5	SNA
332.	Red shiner D	<i>Cyprinella lutrensis</i>	G5	S5
333.	Redear sunfish S D	<i>Lepomis microlophus</i>	G5	S5
334.	River carpsucker	<i>Carpionodes carpio</i>	G5	S5
335.	Sand shiner D	<i>Notropis stramineus</i>	G5	S5
336.	Spotted gar	<i>Lepisosteus oculatus</i>	G5	S4
337.	Spotted bass IH (2019) D [^]	<i>Micropterus punctulatus</i>	G5	S5
338.	Suckermouth minnow D	<i>Phenacobius mirabilis</i>	G5	S4
339.	Warmouth	<i>Lepomis gulosus</i>	G5	S4
340.	Western mosquitofish D	<i>Gambusia affinis</i>	G5	S5
341.	White crappie D	<i>Pomoxis annularis</i>	G5	S5
342.	Yellow bullhead D	<i>Ameiurus natalis</i>	G5	S5
Annelida (Phylum)	Invertebrates			
Clitellata (Class)				
	Aquatic worm v	Oligochaeta	-	-
Rhynchobdellida (Order)	Jawless leeches			
343.	Freshwater leech v	Glossiphoniidae	-	-
344.Mollusca (Phylum)	Mollusks			
Bivalvia (Class)				
345.	Basket clams E, v	Corbiculidae	-	-
346.	Freshwater mussels v	Unionidae	-	-
Gastropoda (Class)				
347.	Bladder snail v	Physidae	-	-
348.	Ramshorn snail v	Planorbidae	-	-
Arthropoda (Phylum)				

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
Crustacea (<i>Subphylum</i>)				
Malacostraca (<i>Class</i>)				
349.Ampipoda (<i>Order</i>)	Amphipods v	Gammaridae		
350.	Scuds v	Hyalella	-	-
Decapoda (<i>Class</i>)				
351.	Freshwater crayfish v	Cabariidae	-	-
Uniramia (<i>Subphylum</i>)				
Insecta (<i>Class</i>)	Insects			
Coleoptera (<i>Order</i>)	Ground beetles (beetles)	Caribidae		
352.	Ground beetle C	<i>Pentagonica sp</i>	-	-
353.	Ground beetle C	<i>Notiobia anisotarsus</i>	-	-
354.	Ground beetle C	<i>Synuchus impunctatus</i>	GNR	NNR
Coleoptera (<i>Order</i>)	Riffle (beetles)	Elmidae		
355.	Riffle beetle v	<i>Dubiraphia sp</i>	-	-
Coleoptera (<i>Order</i>)	Water scavenger (beetles)	Hydrophilidae		
356.	Water scavenger beetle C v	<i>Tropisternus lateralis nimbatus</i> (Say)	GNR	NNR
357.	Water scavenger beetle v	<i>Berosur sp</i>	-	-
Coleoptera (<i>Order</i>)	Scarab (beetles)	Scarabaeidae		
358.	Green beetle C	<i>Cotinis nitida</i> (Linnaeus)	GNR	NNR
359.	Flower beetle C	<i>Euphoria sepulcralis</i> (Fabricius)	-	-
Coleoptera (<i>Order</i>)	Soft-winged flower (beetles)	Melyridae		
360.	Soft-winged flower beetle C	<i>Collops quadrimaculatus</i>	GNR	NNR
Coleoptera (<i>Order</i>)	Ladybird (beetles)	Coccinellidae		
361.	Convergent lady beetle C	<i>Hippodamia convergens</i> (Guerin)	GNR	NNR
362.	Lady beetle C	<i>Coleomegilla maculata lengi</i> (Timberlake)	GNRTNR	NNR
363.	Japanese Ladybug C	<i>Harmonia axyridis</i> (Pallas)	GNR	NNR
364.	Lady beetle C	<i>Neoharmonia venusta ampla</i> (Mulsant)	GNR	NNR
Coleoptera (<i>Order</i>)	Long-horned (beetles)	Cerambycidae		
365.	Banded hickory borer C	<i>Knollia cincta cincta</i> (Drury)	GNRTNR	NNR
366.	Cottonwood borer C	<i>Plectrodera scalator</i> (Fabricius)	-	-
Coleoptera (<i>Order</i>)	Leaf (beetles)	Chrysomelidae		
367.	Leaf beetle C	<i>Neolema sp</i>	-	-
368.	Leaf beetle C	<i>Timarcha cardo</i> (Stal)	-	-
369.	Ragweed beetle C	<i>Zygogramma suturalis casta</i> (Rogers)	-	-
370.	Potato beetle C	<i>Leptinotarsa decemlineata</i> (Say)	GNR	NNR
371.	Spotted cucumber beetle C	<i>Diabrotica undecimpunctata howardi</i>	GNR	NNR
372.	Leaf beetle C	<i>Monomacra sp</i>	-	-
373.	Leaf beetle C	<i>Metachroma sp</i>	-	-
374.	Leaf beetle C	<i>Pachybrachis sp</i>	-	-

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank^	State/ National Rank^
375.	Leaf beetle C	<i>Cryptocephalus venustus</i> (Fabricius)	GNR	NNR
376.	Flea beetle C	<i>Altica</i> sp	-	-
Coleoptera (Order)	Crawling water beetles	Halipidae		
377.	Crawling water beetle v	<i>Halipus</i> sp	-	-
378.	Red-legged buprestis C	<i>Buprestis rufipes</i> (Olivier)	-	-
379.	Riffle beetles v	Coleoptera / Elmidae	-	-
Diptera (Order)	True Flies	Ceratopogonidae		
380.	Biting midges v C	<i>Seromyia</i> sp	-	-
Diptera (Order)	Non-biting midges	Chironomidae		
381.	Non-biting midges v C	<i>Unk – 2 genera</i>	-	-
Diptera (Order)	Black Flies	Simuliidae		
	Black fly v C	<i>Metacnephia</i> sp	-	-
Diptera (Order)	Thread-hornes v	Nematocera (only ID to suborder)		
Diptera (Order)	Horse flies	Tabanidae		
382.	Horse flies C	<i>Tabanus atratus</i> (Fabricius)	GNR	NNR
383.	Horse flies C	<i>Tabanus subsimilis</i> (Bellardi)	-	-
Ephemeroptera (Order)	Mayflies			
Ephemeroptera (Order)	Common burrower mayflies	Ephemeridae		
384.	Common burrower mayflies v C	<i>Hexagenia</i> sp	-	-
385.Ephemeroptera (Order)	Little stout crawlers v C	Caenidae (J.Lee)		
386.	Little stout crawlers v C	<i>Caenis</i> sp	-	-
387.Ephemeroptera (Order)	Small minnow mayflies v C	Baetidae (J.Lee)		
Ephemeroptera (Order)	Stream mayflies	Heptageniidae		
388.	Stream mayflies v	<i>Stenacron</i> sp	-	-
Hemiptera (Order)	True bugs			
Hemiptera (Order)	Backswimmers	Notonectidae		
389.	Backswimmer v	<i>Notonecta</i> sp	-	-
390.	Backswimmer v	<i>Buenoa</i> sp	-	-
Hemiptera (Order)	Water boatmen	Corixidae		
391.	Water boatmen v	<i>Palmacorixa</i>	-	-
392.	Water boatmen v	<i>Ramphocorixa</i>	-	-
Hemiptera (Order)	Seed bugs	Lygaeidae		
393.	Small Milkweed bug	<i>Lygaeus kalmi</i> (Stal)	-	-
Hemiptera (Order)	Stink bugs	Pentatomidae		
394.	Narrow stink bug C	<i>Mecidea minor</i> (Ruckes)	-	-
395.	Narrow stink bug C	<i>Mecidea major</i> (Ruckes)	-	-
396.	Black stink bug C	<i>Proxys punctulatus</i> (Polisot)	-	-
397.	Red-shouldered stink bug C	<i>Thyanta accerra</i> (McAtee)	-	-

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank [^]	State/ National Rank [^]
398.	Two-spotted stink bug C	<i>Perillus bioculatus</i> (Fabricius)	-	-
Hemiptera (Order)	Assassin & Thread-legged bugs	Reduviidae		
399.	Wheel bug C	<i>Arilus cristatus</i> (Linnaeus)	-	-
Hemiptera (Order)	Shield-backed bugs	Scutelleridae		
400.	Shield bug C	<i>Homaemus parvulus</i> (Germar)	-	-
Hemiptera (Order)	Ebony bugs	Thyreocoridae		
401.	Black bug C	<i>Corimeleana pulcaria</i> (Germar)	-	-
Hymenoptera (Order)	Sawflies, wasps, bees & ants			
Hymenoptera (Order)	Ants	Formicidae		
402.	Carpenter ant C	<i>Camponotus americanus</i> (Mayr)	GNR	NNR
403.	Acrobat ant C w	<i>Crematogaster ashmeadi</i> (Mayr)	-	-
404.	Acrobat ant C w	<i>Crematogaster cerasi</i> (Fitch)	GNR	NNR
405.	Acrobat ant C w	<i>Crematogaster lineolata</i> (Say)	GNR	NNR
406.	Acrobat ant C w	<i>Crematogaster punctulata</i> (Emery)	-	-
Hymenoptera (Order)	Ants	Formicidae		
407.	Acrobat ant C w	<i>Crematogaster minutissima missouriensis</i>	-	-
408.	Acrobat ant C w	<i>Crematogaster spp</i> (voucher specimen A)	-	-
409.	Acrobat ant C w	<i>Crematogaster spp</i> (voucher specimen B)	-	-
410.	Not named C	<i>Dolichoderus pustulatus</i> (Mayr)	GNR	NNR
411.	Pyramid ant w	<i>Dorymyrmex flavus</i>	-	-
412.	Lawn ant C w	<i>Forelius pruinosis</i> (Roger)	GNR	NNR
413.	Wood, Mound or Field ant C	<i>Formica pallidefulva</i> (Latreille)	GNR	NNR
414.	Not named C	<i>Lasius neoniger</i> (Emery)	GNR	NNR
415.	Red, Acorn or Cavity dwelling ant C w	<i>Leptothorax curvispinosus</i> (Mayr)	-	-
416.	Little black ant C w	<i>Monomorium minimum</i> (Buckley)	GNR	NNR
417.	Army ant C	<i>Neivamyrmex nigrescens</i> (Cresson)	GNR	NNR
418.	Crazy ant C w	<i>Nylanderia faisonensis</i> (Forel)	-	-
419.	Bigheaded ant C w	<i>Pheidole spp</i> (voucher specimen A)	-	-
420.	Bigheaded ant C w	<i>Pheidole spp</i> (voucher specimen C)	-	-
421.	Bigheaded ant C w	<i>Pheidole spp</i> (voucher specimen D)	-	-
422.	Red harvester C w	<i>Pogonomyrmex barbatus</i> (F. Smith)	-	-
423.	Thief ant C	<i>Solenopsis molesta</i> (Say)	GNR	NNR
424.	Red imported fire ant	<i>Solenopsis invicta</i>	-	-
425.	Odorous house ant C w	<i>Tapinoma sessile</i> (Say)	GNR	NNR
426.	Not named C	<i>Temnothorax pergandei</i> (Emery)	GNR	NNR
427.	Bark ant C	<i>Temnothorax schaumii</i> (Roger)	GNR	NNR
Hymenoptera (Order)	Scorpion wasps	Ichneumonidae		
428.	Scorpion/Parasitic wasp C	<i>Itopectis sp</i>	-	-
429.	Gelis wasp C	<i>Gelis sp</i>	-	-

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank [^]	State/ National Rank [^]
430.	Scorpion wasp C	<i>Gonatopus sp</i>	-	-
Hymenoptera (Order)	Thread-waisted wasps	Sphecidae		
431.	Black & Yellow mud dauber C	<i>Sceliphron caementarium (Drury)</i>	-	-
432.	Great golden sand digger wasp C	<i>Sphex ichneumoneus (Linnaeus)</i>	-	-
433.	Brown-legged grass carrier C	<i>Isodontia auripes (Fernald)</i>	-	-
434.	Thread-waisted wasps C	<i>Ammophila aureonotata (Cameron)</i>	-	-
Megaloptera (Order)	Alderflies	Sialidae		
435.	Alderfly v	<i>Sialis sp</i>	-	-
Odonata (Order)	Darners (dragonflies) v	Aeshnidae		
436.	Flag-tailed clubtail C	<i>Dromogomphus spoliatus (Hagen)</i>	G4G5	S4?
437.	Sulphur-tipped clubtail C	<i>Gomphus militaris (Hagen)</i>	-	-
438.	Dragonfly v	<i>Anax sp</i>	-	-
Odonata (Order)	Skimmers (dragonflies) v	Libellulidae		
439.	Common pondhawk C	<i>Erythemis simplicicollis (Say)</i>	G5	S4?
440.	Slaty skimmer C	<i>Libellula incesta (Hagen)</i>	G5	S4?
Odonata (Order)	Skimmers (dragonflies) v	Libellulidae		
441.	Widow skimmer C	<i>Libellula luctuosa (Burmeister)</i>	G5	S4?
442.	Twelve-spotted skimmer C	<i>Libellula pulchella (Drury)</i>	G5	S4?
443.	Blue dasher v	<i>Pachydiplax longipennis (Burmeister)</i>	G5	S4?
444.	Globe skimmer C	<i>Pantala flavescens (Fabricius)</i>	G5	S4?
445.	Spot-winged glider C	<i>Pantala hymenaea (Say)</i>	G5	S4?
446.	Eastern amberwing C	<i>Perithemis tenera (Say)</i>	G5	S4?
447.	Variegated meadowlark C	<i>Sympetrum corruptum (Hagen)</i>	G5	S4?
448.	Black saddlebags C	<i>Tramea lacerata (Hagen)</i>	G5	S4?
449.	Red-mantled saddlebags C	<i>Tramea onusta (Hagen)</i>	G5	S4?
Odonata (Order)	Damselflies (dragonflies) v	Lestidae		
450.	Great spreadwing C	<i>Archilestes grandis (Rambur)</i>	G5	S4?
451.	Blue-fronted dancer C	<i>Argia apicalis (Say)</i>	G5	S4?
452.	Variable dancer C	<i>Argia fumipennis (Brumeister)</i>	G5	SNR
453.	Springwater dancer C	<i>Argia plana (Calvert)</i>	G5	S4?
454.	Vivid dancer C	<i>Argia vivida (Hagen)</i>	G5	N5
455.	Damselfly v	<i>Argia sp</i>	-	-
456.	Double-striped bluet C	<i>Enallagma basidens (Calvert)</i>	G5	S4?
457.	Familiar bluet C	<i>Enallagma civile (Hagen)</i>	G5	S4?
458.	Citrine forktail C	<i>Ischnura hastate (Say)</i>	G5	S4?
459.	Eastern forktail C	<i>Ischnura verticalis (Say)</i>	G5	S4?
460.	Arroyo bluet C	<i>Enallagma praevarum</i>	G-5	S-1
461.	Mexican forktail C	<i>Ischnura demorsa</i>	G-5	S-1
462.	Western forktail C	<i>Ischnura perparva</i>	G-5	SNR

TINKER FAUNA LISTED BY TAXONOMIC GROUP

Taxonomic Rank	Common or Group Name	Family or Scientific Name	Global Rank [^]	State/ National Rank [^]
Orthoptera (Order)	Grasshoppers, Crickets, Katydid, Locust			
Orthoptera (Order)	Short-horned grasshoppers	Acrididae		
463.	Handsome or Admirable grasshopper C	<i>Syrbula admirabilis</i> (Uhler)	G5	N5
464.	Two-striped slantface grasshopper C	<i>Mermiria bivittata</i> (Serville)	G5	N5
465.	Plains yellow-winged grasshopper C	<i>Arphia simplex</i>	G5	N5
466.	Autumn yellow-winged grasshopper C	<i>Arphia xanthoptera</i> (Brumeister)	G5	N5
467.	Greenstriped grasshopper C	<i>Chortophaga viridifasciata</i> (DeGeer)	G5	N5
468.	Dusky grasshopper C	<i>Encoptolophus costalis</i> (Scudder)	G5	N5
469.	Wrinkled grasshopper C	<i>Hippiscus ocelote</i> (Saussure)	G5	N5
470.	Carolina grasshopper C	<i>Dissosteira carolina</i> (Linnaeus)	G5	N5
471.	American bird grasshopper C	<i>Schistocerca americana</i> (Drury)	G5	N5
472.	Spotted bird grasshopper C	<i>Schistocerca lineata</i> (Scudder)	-	-
473.	Spur-throated grasshopper C	<i>Melanoplus bilituratus vulturis</i>	-	-
474.	Differential grasshopper C	<i>Melanoplus differentialis nigricans</i>	G5	N5
Orthoptera (Order)	Pygmy grasshoppers	Tetrigidae		
475.	Black-sided pygmy grasshopper C	<i>Tettigidea lateralis lateralis</i> (Say)	G5	NNR
Trichoptera (Order)	Netspinning caddisflies	Hydropsychidae		
476.	Netspinning caddisfly v	<i>Cheumatopsyche</i> sp.	-	-
Arachnida (Class)	Spiders			
477.	Brown recluse spider	<i>Loxosceles reclusa</i>	GNR	S5
478.	Black widow spider	<i>Latrodectus mactans</i>	GNR	NNR
Lepidoptera (Class)	Butterflies			
479.	Monarch	<i>Danus plexippus</i> (proposed listing T)	G4	SNR
480.				
481.				
482.				

- (*) Species has been observed on or over TAFB airfield
- (**) Species believed to no longer occur on base property
- (***) Unconfirmed sighting
- (E) Non-native or introduced species (exotic)
- (S) Stocked species
- (L) Leucistic variety observed
- (I) Introduced hybrid, or strain, or genetically altered
- (IH) In-house sighting by base biologists
- = 2007-2008 Reptiles, Amphibian, and Mammal Assemblages on an Urban Military Base, SIU-Southwestern Naturalists (Bogosian, Hellgren, & Moody, 2011)
- D 2009-2010 Fishes of Crutcho Creek Drainage Basin, OU (Moody, Marsh-Matthews & Matthews, 2011)
- D[^] 2021-2022 Fishes of Crutcho Creek Drainage Basin, OU (Moody, Marsh-Matthews & Matthews, 2022)
- F 2008-2009 Inventory Avian Species on TAFB, Virginia Tech (St. Germain, 2010)
- v 2008-2009 Aquatic Benthic Macroinvertebrate Assessment, Virginia Tech (Jones & St. Germain, 2010)
- w 2003-2011 OSU/SIU Texas Horned Lizard Research (Hellgren, Moody, Bogosian, Endriss, & Wolfe, 2011)

C	2008-2011 Entomological Inventories (Lee, 2011)
c	2013-2014 Bat Echolocation Surveys (acoustic monitor) (USAO, 2013-14 & Univ Montana CIRE, 2017)
I	2023 USFWS Bird Seasonal Survey (Mogle, 2023)
*	Storm mortality
(****)	Bird Strike Report (Local however, could have been off Tinker in pattern)
(?)	Unknown source of identification - Unmarked species have been identified by in-house natural resources staff
^NatureServe – Conservation Rankings	
G1	Critically Imperiled – At very high risk of extinction due to extreme rarity (often 5 or fewer populations), very steep declines, or other factors
G2	Imperiled – At risk of extinction or elimination due to very restricted range, very few populations, steep declines, or other factors
G3	Vulnerable – At moderate risk of extinction or elimination due to a restricted range, relatively few populations, recent and widespread declines, or other factors
G4	Apparently Secure – Uncommon but not rare; some cause for long-term concern due to declines or other factors
G5	Secure – Common; widespread and abundant
G#G# S#S#	Range Rank – A numeric range rank (e.g., G2G3/S2S3, G1G3/S1S3) is used to indicate the range of uncertainty about the exact status of a taxa or ecosystem type. Ranges cannot skip more than two ranks (e.g., GU/SU should not be used rather than G1G4/S1S4)
GU	Unrankable – Currently unrankable due to lack of information or due to substantially conflicting information about status or trends. NOTE: Whenever possible (when the range of uncertainty is three consecutive ranks or less), a range rank (e.g., G2G3) should be used to delineate the limits (range) of uncertainty.
GNR	Unranked – Global rank not yet assessed
GNA	Not Applicable – A conservation status rank is not applicable because the species is not a suitable target for conservation activities (e.g., species is a hybrid without conservation value, of domestic origin, or the ecosystem is non-native, for example, ruderal vegetation, a plantation, agricultural field, or developed vegetation (lawns, gardens etc)
S1	Critically Imperiled – Critically imperiled in the jurisdiction because of extreme rarity or because of some factor(s) such as very steep declines making it especially vulnerable to extirpation from the jurisdiction
S2	Imperiled – Imperiled in the jurisdiction because of rarity due to very restricted range, very few populations, steep declines, or other factors making it very vulnerable to extirpation from jurisdiction
S3	Vulnerable – Vulnerable in the jurisdiction due to a restricted range, relatively few populations, recent and widespread declines, or other factors making it vulnerable to extirpation
S4	Apparently Secure – Uncommon but not rare; some cause for long-term concern due to declines or other factors
S5	Secure – Common, widespread, and abundant in the jurisdiction
SG	Species of Greatest Conservation Concern (Tier I) as identified in Oklahoma Comprehensive Wildlife Conservation Strategy (2016).
SU	Unrankable – Currently unrankable due to lack of information or due to substantially conflicting information about status or trends
NNR SNR	Unranked – National or subnational conservation status not yet assessed
NNA SNA	Not Applicable – A conservation status rank is not applicable because the species or ecosystem is not a suitable target for conservation activities (a conservation status rank may be not applicable for some species, including long distance aerial and aquatic migrants, hybrids without conservation value, and non-native species or ecosystems, for several reasons
Not Provided	Species or ecosystem is not known to occur in the nation or state/province
?	Inexact Numeric Rank – Denotes inexact numeric rank; this should not be used with any of the Variant Global Conservation Status Ranks or GX or GH
T#	Intraspecific Taxon (trinomial) – The status of intraspecific taxa (subspecies or varieties) is indicated by a "T-rank" following the species' global rank. Rules for assigning T-ranks follow the same principles outlined above. For example, the global rank of a critically imperiled subspecies of an otherwise widespread and common species would be G5T1. A T subrank cannot imply the subspecies or variety is more abundant than the species. For example, a G1T2 subrank should not occur. A vertebrate animal population (e.g., listed under the U.S. Endangered Species Act or assigned candidate status) may be tracked as an intraspecific taxon and given a T-rank; in such cases a Q is used after the T-rank to denote the taxon's informal taxonomic status
B	Breeding – Conservation status refers to the breeding population of the species in the nation or state/province
N	Nonbreeding – Conservation status refers to the non-breeding population of the species in the nation or state/province
M	Migrant – Migrant species occurring regularly on migration at particular staging areas or concentration spots where the species might warrant conservation attention. Conservation status refers to the aggregating transient population of the species in the nation or state/province
V	Vagrant – An animal occurring beyond its normal range, an accidental
^^Revised 29 Mar 2024, Moody	